

Work Order ID 65358

Page 1

January 12, 2011 2:57:18 PM

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 1/12/11 Start Qty: 1.00



Cust Item ID:

Required Date: 2/04/11 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: CL Date: 11/01/13 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2273	D								
D350-604-041	A								
DSI9470	A								

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

Photocopy bluefile and create labels per PPP D350-604-041 CHG002

Silber

110

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 13270

Description: D350-604-041 Rear locker extender.

Supplier: Delastek.

Certification of Conformity and process sheet from Delastek is required.

4 x 2600-6 Camlock stud - Ship to Delastek B 11/01/13CL 11/01/13 ①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65358

Page 2

January 12, 2011 2:57:18 PM

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 1/12/11 Start Qty: 1.00



Cust Item ID:

Required Date: 2/04/11 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120



Packaging

Receive & Inspect for Damage & Mat'l Certs
Packaging

0.00

Memo

0.00

Packaging

Ensure a copy of Certification of Conformity and process sheet from Delastek is attached.

130



QC

Quality Control

QC5- Inspect part completeness to step on W/O

0.00

Memo

0.00

Check hole locations to template. DT 8824 Check process sheet and audit.

140



Packaging

Packaging

Pick Kit

0.00

Memo

0.00

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65358

Page 3

January 12, 2011 2:57:18 PM

Item ID: D350-604-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Rear Locker Extender

Start Date: 1/12/11 Start Qty: 1.00



Cust Item ID:

Required Date: 2/04/11 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

150

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

8/10/10

②

160

Packaging

0.00



Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D350-604-041

Location: _____

PPP Rev: _____

4/2/8

170

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/02/08
MF
11-02-08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

January 12, 2011 2:57:17 PM

Page 1

Work Order ID: 65358

Parent Item: D350-604-041

Parent Item Name: Rear Locker Extender



Start Date: 1/12/11

Required Date: 2/04/11

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev: Q03.12.01 Reformat KJ/RF

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

2600-6 Camlock Stud		Purchased	No			110	Each	85.0000	4	4			
----------------------------	--	-----------	----	--	--	-----	------	---------	---	---	--	--	--

Location	Loc Qty	Loc Code
ST381	85	
114238	4	
115814	17	
116373	14	
116513	50	

D2268 Decal		Manufactured	No			140	Each	11.0000	1	1			
--------------------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

Location	Loc Qty	Loc Code
ST010	11	
60213	1	
64072	10	

D2269 Decal		Manufactured	No			140	Each	19.0000	1	1			
--------------------	--	--------------	----	--	--	-----	------	---------	---	---	--	--	--

Location	Loc Qty	Loc Code
ST010	19	
63338	7	
64437	12	

D350-604-041P Rear Locker Extender		Purchased	No			120	Each	0.0000	1	1			
---	--	-----------	----	--	--	-----	------	--------	---	---	--	--	--

CH 11/01/18

[Handwritten signature]

64072

[Handwritten signature]

63338

65358

[Handwritten signature]

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-604 REV. B

REF TCCA STC: SH90-4
REF FAA STC: SR00463NY

PURPOSE:

The 2600-4 Camloc Studs may be too short for some installations.

CHANGE:

The qty (4) 2600-4 Camloc Studs are replaced with longer 2600-6 Camloc Studs. It is acceptable to install either 2600-4 or 2600-6 Camloc Studs. The parts list of D350-604 Rev. B is amended as follows:

QTY	PART NUMBER	DESCRIPTION
-041		
X	D350-604-041	REAR CARGO COMPARTMENT EXTENDER ASS'Y

IS:

4	2600-6	CAMLOC STUD
---	--------	-------------

WAS:

4	2600-4	CAMLOC STUD
---	--------	-------------

NOT A COPY
NOT TO
BE REPRODUCED
CONTROLLED COPY
NOT FOR AMENDMENT
NOT FOR NOTICE
NOT FOR ORDER
65358
C&L 11/01/13

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: *[Signature]*
D. SHEPHERD (DE # 02)

DATE: 09.07.01
CERT. NO.: SH90-4
ISSUE NO.: 3


A	NEW ISSUE, NCR 09-046	CP	09.07.01
REV.	DESCRIPTION	BY	DATE
DESIGN	<i>92</i>	DART AEROSPACE LTD	
DRAWN	<i>97</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>[Signature]</i>	DSI 9470	SHEET 1 OF 1
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	CAMLOC CHANGE	NTS
DATE	09.07.01	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



DESIGN JB	DRAWN BY JP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D2273	REV. D SHEET 1 OF 1
DATE 02.04.01		TITLE 350 REAR LOCKER EXTENDER	SCALE NTS
B	96.05.27	RE-DRAWN	
C	02.01.30	CLARIFY MATERIAL, LAYUP, AND TOOLING	
D	02.04.01	REMOVE EPOCAST, ADD SURFACE FINISH	


RELEASED
02.04.03

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 65358



NOTES:

- 1) LAMINATE PER DART QSI 006. LAMINATION SCHEDULE PER THIS DRAWING.
- 2) LAYUP USING DT8010 MOLD. WET LAYUP NO BAG/VACUUM.
- 3) TRIM & DRILL PER DT8020. OPEN HOLES TO $\phi 0.257$ (4 PLACES).
- 4) MATERIALS:
RESIN: DERAKANE 470-36/411/510A40
FIBRE: 9oz = 9.7 oz 7781 WEAVE "S" GLASS
18oz = 18.0 oz ROVING "E" GLASS.
- 5) CONSTRUCTION:
101-WHITE GLOSS GELCOAT # GEL 944W005.
102-9oz ALL OVER.
103-18oz ALL OVER.
104-18oz RE-INFORCE FRONT FLANGE EXTENDING 2" ON SIDES.
105-9oz ALL OVER.
106-PEEL PLY.
- 6) MATTE TO HOLD DOWN CORNERS AS REQUIRED.
- 7) FINISH THIS SURFACE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S.
- 8) ALL DIMENSIONS ARE IN INCHES.



SECTION A-A


Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN BW	DRAWN BY UP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D350-604-041	REV. A SHEET 1 OF 1
DATE 02.04.01		TITLE REAR LOCKER EXTENDER ASSEMBLY	SCALE NTS
A	02.04.01	NEW ISSUE	
A1	# RF 02.04.23	ADD D2728-1 DECAL + ORIENTATION NOTE REAR LOCKER EXTENDER (D2273)	

RELEASED
02.04.03



D350-604-041 REAR LOCKER EXTENDER

NOTE: DECALS TO BE ORIENTED TO MATCH 'UP' ORIENTATION OF RLE



Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Delastek inc.
2699 5e avenue
Local 14, Porte -A-
Grand-Mère, Québec G9T 5K7
Can ** Fax (819) 533-3494 **

PACKING SLIP CERTIFICATE OF COMPLIANCE

Invoice #	36982
Customer #	DART US

Telephone: (819) 533-5788
Warehouse: MAIN

Bill to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Telephone: 613-632-5200
Contact: Linda Lacelle

Ship to:

DART AEROSPACE LTD
1270, Aberdeen Street
Hawksbury, Ontario K6A 1K7
Canada

Ship via		F.O.B.		Terms		Salesperson	
Puro Collect		Origin		Net 30 days USA		Claude Lessard, ext. 233	
Ship date	Order Date	Our PO #	Order by		Your PO #	GST/PST #	
03/02/2011	13/01/2011	16463	Chantal Lavoie		PO13270		
Order Qty	B.O. Qty	Current Ship.	Item #	Item Description			
1	0	1	DKC134-0003	Line #1 Rear Locker Extender D350-604-041P B65357 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> B65357 <u>No. lot</u> 30992			
1	0	1	DKC134-0003	Line #2 Rear Locker Extender D350-604-041P B65358 U de M : Each Référence DKA362-0004 DWG: D350-604-041 REV. A1 D2273 REV. D <u>No. série</u> B65358 <u>No. lot</u> 30993			

It is hereby certified that all materials, process and finished items were controlled and tested in accordance with the requirements of the purchase order and applicable specifications. All such records are on file at our plant and available for review upon request.

☒ Cust. ☐ Adm. ☐ Quality ☐ Ship.

Accepted by:

Quality department AQ-357



Date: Lundi, 2011-01-10 15:54:28
Utilisateur: Pascal Carignan

Feuille de Procédé

Client : DART US DART AEROSPACE LTD
Numéro Job : 30993
Numéro Soumission : 3482
Numéro B.A. :
Cette fois : 2011-01-10 No. B.V. :
Prsht Rev. : NC
Prem. fois : - - Type :
Job précédente : 30992

Nom Dessin : REAR LOCKER EXTENDER
Numéro Article : DKC134-0003
Numéro Dessin : D350-604-041 & D2273
Projet Numéro : DK-362
Révision dessin : A & D
Matériel : Derakane 470-36/411/510
Date Dûe : 2011-01-17 Qté: 1 UdM: UNITE

Écrit par :
Vérifié & Approuvé par :
Commentaires : N° de pièce Laminée Dart Aerospace: D2273
N° de pièce Assemblage Dart Aerospace: D350-604-041



B65358

Process Sheet Rév.: 01 Mise en page selon nouvelle forme.
Déplacer cette séq. 12 en avant de la séq. 6. Ajouter sablage dans
séq. Trimage.

Produit additionnel

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
---------	-----------------------	---------------

1.0	PRÉPARATION	Préparation du moule
-----	-------------	----------------------



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire la préparation du moule DKO-0250 selon IG 0009.

Date: _____ Sceau: _____

2.0	AMB0350	Gel Coat Blanc N° Gel 944W005
-----	---------	-------------------------------

Commentair Qty.: 1.580 UNITE(s)/Unit Total : 1.580 UNITE(s)
Gel Coat Blanc N° Gel 944W005 N° de Lot: 1-29548-1

3.0	AMB0286	Catalyst N° DDM-9
-----	---------	-------------------

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)
Catalyst N° DDM-9 N° de Lot: 1-27629-1

4.0	AC0747	Acetone
-----	--------	---------

Commentair Qty.: 0.200 KILOGRAMME(s)/Unit Total : 0.200 KILOGRAMME(s)

5.0	PREP-GENERAL	Préparation du matériel
-----	--------------	-------------------------



Commentair Setup: 0.00Hrs/ Run: 45.0000Min Total Run : 0.7500Hrs

Tailler le matériel selon les dimensions requises à l'aide de gabarit de trimage prévus à cet effet.

Date: 17-01-11 Sceau:

Date: Lundi, 2011-01-10 15:54:28

Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD
Numéro Job: 30993Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:



Séq.: Machine ou Opération: Description :

6.0 PREP-GENERAL Préparation du matériel



Commentaire Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Faire la préparation du matériel selon IF134-0003 :

Dans une quantité de Gel Coat N° 944W005 ajouter 2% de Catalyst N° DDM-9 et diluer à l'aide de 10% d'acétone.

Date: 25/01/11 Sceau:



7.0 GEL COAT Application du Gel Coat



Commentaire Setup: 0.00Hrs/ Run: 20.0000Min Total Run : 0.3333Hrs

Appliquer le gel coat selon IF 134-0003(réf. IG0019).

Note: Le gel coat ne doit contenir aucun "airdry" ni aucune cire. Et le temp de séchage est important afin d'éviter d'avoir des défauts de surface, et afin d'éviter que le tissu ne vienne marquer au travers du Gel Coat ainsi que d'éviter d'avoir un rétrécissement.

Quantité: 1 Date: 25/01/11 Sceau:



8.0 AMB0212 Résine (411B7530) 411-350 promo. 75min.

Commentaire Qty.: 1.680 LITRE(s)/Unit Total : 1.680 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot:

1-29297-1

9.0 AMB0286 Catalyst N° DDM-9

Commentaire Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot:

1-27829-1

10.0 AMB0214 9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

Commentaire Qty.: 4.6 VERGE(s)/Unit Total : 4.6 VERGE(s)

9.7 oz Weave "S" glass #FG-778150-125Y Volan Finish

N° de Lot:

1-28776-0

11.0 AMB0213 WR1850 Roving 18oz. x 50"

Commentaire Qty.: 1.140 KILOGRAMME(s)/Unit Total : 1.140 KILOGRAMME(s)

WR1850 Roving 18oz. x 50"

N° de Lot:

1-22302-1

12.0 LAMINAGE Faire le laminage



Commentaire Setup: 0.00Hrs/ Run: 3.5000Hrs Total Run : 3.5000Hrs

Selon IF 134-0003. S'assurer de ne pas trapper d'air entre les rangs.

Inscrire les informations suivantes:

Humidité: 21%

Température: 71.4°F

Heure: —

Date: Lundi, 2011-01-10 15:54:28

Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 30993

Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Description :

Quantité: 1

Date: 26/01/11

Sceau:



13.0

AMB0212

Résine (411B7530) 411-350 promo. 75min.

Commentair Qty.: 0.150 LITRE(s)/Unit Total : 0.150 LITRE(s)

Résine (411B7530) 411-350 promo. 75min

N° de Lot: _____

14.0

AMB0286

Catalyst N° DDM-9

Commentair Qty.: 0.0070 GALLON(s)/Unit Total : 0.0070 GALLON(s)

Catalyst N° DDM-9

N° de Lot: _____

15.0

FINITION

Finition Générale



Commentair Setup: 0.00Hrs/ Run: 30.0000Min Total Run : 0.5000Hrs

Injecter les bulles d'air selon IF134-0003 si applicable.

Quantité: _____

Date: _____

Sceau: _____

16.0

DÉMOULAGE

Démoulage de la pièce



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire le démoulage de la pièce selon IF134-0003 en poussant de l'air à l'intérieur tout en faisant bien attention de ne pas l'endommager .

Quantité: 1

Date: 27-1-11

Sceau:



17.0

TRIMAGE

Trimage



Commentair Setup: 0.00Hrs/ Run: 40.0000Min Total Run : 0.6667Hrs

Selon IF 134-0002.

Faire le sablage si nécessaire.

Quantité: 1

Date: 31/01/11

Sceau:



18.0

AAC1021

Dupont Primer N° 7704S

Commentair Qty.: 0.3400 UNITE(s)/Unit Total : 0.3400 UNITE(s)

Dupont Primer N° 7704S

N° de Lot: 1-28961-2

Date: Lundi, 2011-01-10 15:54:28
Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD
Numéro Job: 30993

Nom Dessin: REAR LOCKER EXTENDER
Numéro Article: DKC134-0003

Numéro Job:



# Séq.:	Machine ou Opération:	Description :
19.0	AAC1101	N° 7775S, Dupont Activator - Reducer Chromabase

Commentair Qty.: 0.0670 UNITE(s)/Unit Total : 0.0670 UNITE(s)
N° 7775S, Dupont Activator - Reducer Chromabase


N° de Lot: 1-2894-3

20.0 PRIMER Application primer



Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Appliquer le primer selon IG 0008.

Quantité: 1 Date: 2-02-11 Sceau:  N° fiche de Mélange: N/A

21.0 AAC1607 Camlock Stud 2600-4 (or Monadnock 1126000-4)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)
Camlock Stud 2600-4 (or Monadnock 1126000-4)

N° de Lot: 1-28803-1

22.0 AAC0682 Washer 2600-LW (1127700)

Commentair Qty.: 4 UNITE(s)/Unit Total : 4 UNITE(s)
Washer 2600-LW (1127700)

N° de Lot: 1-6682-1

23.0 ASSEMBLAGE Assemblage mécanique




Commentair Setup: 0.00Hrs/ Run: 15.0000Min Total Run : 0.2500Hrs

Faire l'assemblage selon IF134-0004.

Démasquer la pièce.

Assembler les "Studs" selon IG 0037.

Quantité: 1 Date: 3-2-11 Sceau: 

24.0 IDENTIFICATION Identification à encre indélébile




Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'identification de la pièce selon IF134-0005

Quantité: 1 Date: 3-2-11 Sceau: LD

* Ajouter : N° pièce client: D350-604-04
Date de fabrication: 3-2-11
N° Job: 30993



BC.
3/2/11

25.0 INSPEC FINAL Inspection finale



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'inspection dimensionnelle et visuelle de la pièce selon le dessin.

Quantité: 1 Date: 3/2/11 Sceau: 

Date: Lundi, 2011-01-10 15:54:28

Utilisateur: Pascal Carignan

Feuille de Procédé

Client: DART US DART AEROSPACE LTD

Nom Dessin: REAR LOCKER EXTENDER

Numéro Job: 30993

Numéro Article: DKC134-0003

Numéro Job:



Séq.:

Machine ou Opération:

Description :

26.0

EMBALLAGE

Emballage & Entreposage



Commentair Setup: 0.00Hrs/ Run: 10.0000Min Total Run : 0.1667Hrs

Faire l'emballage selon IG 0057.

Quantité: 1

Date: 3 fév 11

Sceau: L1B

fab 3 fév 11

Jom 30993